FABRIC COLOR COLLECTION

Passes NFPA 701 Small Scale & California Section 13115







WASHING INSTRUCTIONS: MACHINE WASH 160°F - Use synthetic detergents. Do not use soap, bleach or softeners which might adversely affect the flame retardant qualities of the fabric. TUMBLE DRY 140°F - Remove immediately. 100% POLYESTER - Excessive heat, loading and leaving too long in extractor or dryer will detract from permanent press characteristics of all polyester fabrics. IRONING - If above instructions are followed, no ironing required. If necessary, light touch up with hand iron at 250°F setting, DO NOT MANGLE.

PMS COLORS ARE APPROXIMATE. FOR EXACT COLOR MATCHING PLEASE REQUEST A SAMPLE SWATCH.

Table Throw Flocking

Flocking is a computer cut vinyl material with a felt like texture, commonly used on sports uniforms, such as football jerseys. It is transferred to any standard color twill table throw with a high temperature heat press. Flocking is permanently adhered and will not peel, crack, or fade. The maximum logo size is 45"w x 25"h. Throws with Flocking can be washed and ironed. Available flocking colors are black, white and maize. Additional colors** are available for special order.





* PMS COLORS ARE APPROXIMATE MATCHES. PRINTED COLORS ON THIS SHEET ARE APPROXIMATE FOR BEST MATCHING RESULTS REFER TO YOUR PMS COLOR BOOK.

VINYL COLOR COLLECTION



WASHING INSTRUCTIONS: MACHINE WASH 160°F - Use synthetic detergents. Do not use soap, bleach or softeners which might adversely affect the flame retardant qualities of the fabric. TUMBLE DRY 140°F - Remove immediately. 100% POLYESTER - Excessive heat, loading and leaving too long in extractor or dryer will detract from permanent press characteristics of all polyester fabrics. IRONING - If above instructions are followed, no ironing required. If necessary, light touch up with hand iron at 250°F setting, DO NOT MANGLE.

PMS COLORS ARE APPROXIMATE. FOR EXACT COLOR MATCHING PLEASE REQUEST A SAMPLE SWATCH.